

All HTML Elements		15
attributes[]	addEventListener("evt", func, capt){2}	onBlur
childNodes[]	appendChild(elem)	onClick
className	blur()	onDbClick
dir	click()	onFocus
firstChild	cloneNode(deep)	onKeyDown
id	dispatchEvent(evt){2}	onKeyPress
innerHTML(1)	focus()	onKeyUp
lang	getAttribute("attr")	onMouseDown
lastChild	getAttributeNode("attr"){2}	onMouseMove
length(3)	getElementsByTagName("tag")	onMouseOut
localName	hasChildNodes()	onMouseOver
namespaceURI	insertBefore(new[, ref])	onMouseUp
nextSibling	item(index){3}	onResize
nodeName	normalize(){2}	
nodeType	removeAttribute("attr")	
nodeValue	removeAttributeNode(node){2}	
offsetHeight(1)	removeChild(node)	
offsetLeft(1)	removeEventListener("evt", func, capt){2}	
offsetParent(1)	replaceChild(new[, old])	
offsetTop(1)	setAttribute("attr", val)	
offsetWidth(1)	setAttributeNode(node){2}	
ownerDocument	supports("feature"){2}	
parentNode		
prefix		
previousSibling		
style		
tabIndex		
tagName		
title		

(1)Originaling from the IE4 Object Model, this non-W3C item is implemented in N6 for convenience.
 (2)Not implemented in IE through 5.5.
 (3)Property or method of all object collections.

HTML		20
version(1)	(None)	(None)

(1)Not implemented in IE through 5.5.

FRAMESET		16
cols	(None)	(None)
rows	(None)	(None)

FRAME		16
contentDocument(1)	(None)	(None)
frameBorder		
longDesc(1)		
marginHeight		
marginWidth		
noResize		
scrolling		
src		

(1)Not implemented in IE through 5.5.

HEAD		20
profile(1)		

(1)Not implemented in IE through 5.5.

BASE		20
href		
target		

BASEFONT		20
color		
face		
size		

META		20
charset		
content		
httpEquiv		
name		
url		

TITLE		20
text		

W3C DOM Compatibility Guide

Baseline browsers for this section are IE5 and NN6. An item with no notation is compatible with these browsers for all OS versions. Observe footnotes for items missing from IE.
 All HTML element objects share items from "All HTML" box on Page 1.
 "(None)" means no special methods or events for the current object.

IFRAME		16
align		
contentDocument(1)		
frameBorder		
longDesc(1)		
marginHeight		
marginWidth		
scrolling		
src		

(1)Not implemented in IE through 5.5.

document		18
alinkColor	clear()	onBlur
anchors[]	close()	onClick
applets[]	createAttribute("name")	onDbClick
attributes[]	createDocumentFragment()	onFocus
bgColor	createElement("tag")	onKeyDown
body	createTextNode("txt")	onKeyPress
characterSet(1)	focus()	onKeyUp
childNodes[]	getElementById("ID")	onMouseDown
cookie	getElementsByName("name")	onMouseMove
doctype(1)	getElementsByTagName("tag")	onMouseOut
documentElement	open("mime Type [,replace])	onMouseOver
domain	writeln("str")	onMouseUp
embeds[]	write("str")	onResize
fgColor		
firstChild		
forms[]		
height(1)		
images[]		
implementation(1)		
lastChild		
lastModified		
linkColor		
links[]		
location		
namespaceURI		
nextSibling		
nodeName		
nodeType		
ownerDocument(1)		
parentNode		
plugins		
previousSibling		
referrer		
styleSheets[]		
title		
URL		
vlinkColor		
width(1)		

(1)Not implemented in IE through 5.5.

BODY		18
alink	(None)	(None)
background		
bgColor		
link		
text		
vLink		

FORM	23
acceptCharset (1) action elements[] encoding enctype length method name target	reset() submit() onReset onSubmit
(1)Not implemented in IE through 5.5.	

FIELDSET, LEGEND	23
align form	(None) (None)

LABEL	23
accessKey form(1) htmlFor	(None) (None)
(1)Not implemented in IE through 5.5.	

BUTTON	24
INPUT (button, reset, submit, radio, checkbox)	
(See original object model button, reset, submit, radio, and checkbox object listings.)	
disabled	

INPUT (image)	24
disabled form name src type	(None) (None)

INPUT (text, password, hidden)	25
(See original object model text, password, and hidden object listings.)	
disabled maxLength readOnly size	(None) (None)

TEXTAREA	25
(See original object model textarea object listing.)	
cols disabled readOnly rows	(None) (None)

SELECT	26
(See original object model select object listing.)	
disabled length multiple size value	item() namedItem("optionID") options[] remove()

OPTION	26
defaultSelected disabled form label(1) selected text value	(None) (None)
(1)Not implemented in IE/Windows through 5.5, but is implemented in IE5/Mac.	

OPTGROUP	26
form(1) label(1)	(None) (None)
(1)Not implemented in IE/Windows through 5.5, but is implemented in IE5/Mac.	

IMG	22
align alt border complete height href hspace isMap longDesc (1) lowSrc lowSrc (1) name src useMap vspace width	(None) onAbort onError onLoad
(1)Not implemented in IE through 5.5.	

OL	27
compact start type	

UL	27
compact type	

DL, DT, DD, DIR, MENU	
compact	

LI	27
type value	

A (anchor/link)	21
charset (1) coords (1) hash host hostname href hreflang (1) name pathname port protocol rel rev search shape (1) target type (1)	
(1)Not implemented in IE through 5.5.	

AREA	22
alt coords hash host hostname href noHref pathname port protocol search shape target	

MAP	22
areas name	

TABLE		27
align	createCaption()	onScroll
bgColor	createTFoot()	
border	createTHead()	
caption	deleteCaption()	
cellPadding	deleteRow()	
cellSpacing	deleteTFoot()	
frame	deleteTHead()	
height	insertRow()	
rows[]		
rules		
summary(1)		
tBodies		
tFoot		
tHead		
width		
(1)Not implemented in IE through 5.5.		

TBODY, TFOOT, THEAD		27
align	deleteRow()	(None)
bgColor	insertRow()	
ch(1)		
chOff(1)		
rows		
vAlign		
(1)Not implemented in IE through 5.5.		

TR		27
align	deleteCell()	(None)
bgColor	insertCell()	
cells[]		
ch(1)		
chOff(1)		
rowIndex		
vAlign		
(1)Not implemented in IE through 5.5.		

TD, TH		27
abbr(1)		
align		
axis(1)		
background		
bgColor		
cellIndex		
ch(1)		
chOff(1)		
colSpan		
headers(1)		
height		
noWrap		
rowSpan		
vAlign		
width		
(1)Not implemented in IE through 5.5.		

CAPTION		27
align		
vAlign		

H1...H6		19
align		

HR		19
align		
color		
noShade		
size		
width		

BR		19
clear		

FONT		19
color		
face		
size		

BLOCKQUOTE, Q		19
cite(1)		
(1)Not implemented in IE through 5.5.		

Range(1)		19
collapsed	cloneContents()	(None)
commonAncestorContainer	cloneRange()	
endContainer	collapse()	
endOffset	compareBoundaryPoints(type, src)(3)	
startContainer	createContextualFragment("text")	
startOffset	deleteContents()	
	detach()	
	extractContents()	(2)
	insertNode(node)(2)	
	isValidFragment("txt")	
	selectNode(node)	
	selectNodeContents(node)	
	setEnd(node, offset)	
	setEndAfter(node)	
	setEndBefore(node)	
	setStart(node, offset)	
	setStartAfter(node)	
	setStartBefore(node)	
	surroundContents(node)(2)	
	toString()	
(1)Not implemented in IE through 5.5		
(2)Not implemented in NN6.0		
(3)Broken in NN6.0		

Text(1)		19
data	appendChild(node)	(None)
length	appendData("text")	
	cloneNode(deep)	
	deleteData(offset, count)	
	hasChildNodes()	
	insertBefore(new, ref)	
	insertData(offset, "text")	
	normalize()	
	removeChild()	
	replaceChild(offset, count, "text")	
	splitText(offset)	
	substringData(offset, count)	
(1)Not implemented in IE through 5.5.		

selection(1),(2)		19
anchorNode	addRange(range)	(None)
anchorOffset	clearSelection()	
focusNode	collapse(node, offset)	
isCollapsed	containsNode(node, recurse)	
rangeCount	deleteFromDocument()	
	extend(node, offset)	
	getRangeAt()	
	removeRange(range)	
(1)NN6.0 does not provide a way to create a selection object		
(2)Not implemented in IE through 5.5.		

Node Types

- 1 ELEMENT_NODE
- 2 ATTRIBUTE_NODE
- 3 TEXT_NODE
- 4 CDATA_SECTION_NODE
- 5 ENTITY_REFERENCE_NODE
- 6 ENTITY_NODE
- 7 PROCESSING_INSTRUCTION_NODE
- 8 COMMENT_NODE
- 9 DOCUMENT_NODE
- 10 DOCUMENT_TYPE_NODE
- 11 DOCUMENT_FRAGMENT_NODE
- 12 NOTATION_NODE

STYLE		30
media	(None)	(None)
type		
styleSheet		
cssRules[]		
disabled	deleteRule(index){1}	(None)
href	insertRule("rule",index){1}	
media		
ownerNode(1)		
ownerRule(1)		
parentStyleSheet		
title		
type		
(1)Not implemented in IE through 5.5.		

cssRule		30
cssText (2)	(None)	(None)
parentStyleSheet (2)		
selectorText		
style		
type(1)		
(1)Not implemented in IE through 5.5.		
(2)Not implemented in IE through 5.5, but implemented in IE5/Mac.		

W3C DOM Compatibility Guide

Baseline browsers for this section are IE5 and NN6. An item with no notation is compatible with these browsers for all OS versions. Observe footnotes for items missing from IE.

All HTML element objects share items from "All HTML" box on Page 1. "(None)" means no special methods or events for the current object.

event ⁽¹⁾		29
altKey	initEvent("type",bubble,cancelable) (None)	
bubbles	initKeyEvent("type",evdArgs)	
button	initMouseEvent("type",evdArgs)	
cancelBubble	initUIEvent("type",evdArgs)	
cancelable	preventDefault()	
charCode	stopPropagation()	
clientX		
clientY		
ctrlKey		
currentTarget		
detail		
eventPhase		
isChar		
keyCode		
layerX		
layerY		
metaKey		
pageX		
pageY		
relatedTarget		
screenX		
screenY		
shiftKey		
target		
timeStamp		
type		
view		
(1)Not implemented in IE through 5.5.		

EMBED		32
align	(None)	
height		
name		
src		
width		
onLoad		
onScroll		

APPLET		32
align		
alt(1)		
archive (1)		
code		
codeBase		
height		
hspace		
name		
object (1)		
vspace		
width		
(1)Not implemented in IE through 5.5.		

OBJECT		32
align		
alt(1)		
code		
codeBase		
codeType		
contentDocument		
height		
hspace		
name		
object		
type		
vspace		
width		
(1)Not implemented in IE through 5.5.		

LINK		20
charset (1)	(None)	(None)
disabled		
href		
hreflang		
media		
rel		
rev		
target		
type		
(1)Not implemented in IE through 5.5		

SCRIPT		20
defer	(None)	(None)
event		
htmlFor		
language		
src		
text		
type		